



English, S., & Uller, T. (2016). Does early-life diet affect longevity? A meta-analysis across experimental studies. *Biology Letters*, 12(9), [20160291].  
<https://doi.org/10.1098/rsbl.2016.0291>

Peer reviewed version

Link to published version (if available):  
[10.1098/rsbl.2016.0291](https://doi.org/10.1098/rsbl.2016.0291)

[Link to publication record in Explore Bristol Research](#)  
PDF-document

This is the accepted author manuscript (AAM). The final published version (version of record) is available online via The Royal Society at <https://doi.org/10.1098/rsbl.2016.0291> . Please refer to any applicable terms of use of the publisher.

## University of Bristol - Explore Bristol Research

### General rights

This document is made available in accordance with publisher policies. Please cite only the published version using the reference above. Full terms of use are available:  
<http://www.bristol.ac.uk/pure/about/ebr-terms>

**Does early-life diet affect longevity? A meta-analysis across experimental studies**

Sinead English<sup>1,2\*</sup> & Tobias Uller<sup>1,3</sup>

1. Edward Grey Institute, Department of Zoology, University of Oxford

2. Department of Zoology, University of Cambridge

3. Department of Biology, Lund University

\*Correspondence address: [sineadenglish@cantab.net](mailto:sineadenglish@cantab.net)

## **Abstract**

Life-history theory predicts that nutrition influences lifespan due to trade-offs between allocating resources to reproduction, growth and repair. In spite of occasional reports that early diet has strong effects on lifespan, it is unclear whether this prediction is generally supported by empirical studies. We conducted a meta-analysis across experimental studies manipulating pre- or post-natal diet and measuring longevity. We found no overall effect of early diet on lifespan. We used meta-regression, considering moderator variables based on experimental and life-history traits, to test predictions regarding the strength and direction of effects that could lead to positive or negative effects. Prenatal dietary manipulations reduced lifespan, but there were no effects of later diet, manipulation type, development mode or sex. The results are consistent with the prediction that early dietary restriction disrupts growth and results in increased somatic damage, which incurs lifespan costs. Our findings raise a cautionary note, however, for placing too strong an emphasis on early dietary effects on lifespan, and highlight limitations of measuring these effects under laboratory conditions.

## **Keywords**

early development, nutrition, caloric restriction, lifespan, meta-analysis

## Introduction

Conditions in early development can influence a suite of life history traits later in life, including the pace of ageing and total lifespan [1–3]. King penguin chicks which experience rapid catch-up growth have shorter telomeres [4], for example, and red deer born under harsh environmental conditions show faster senescence [5]. An important feature of early development is the amount and type of food received, which has immediate effects on growth and can influence later traits. Several studies have manipulated nutrition in early life – providing diets to pregnant mothers or to young before maturity – and measured offspring survival. These studies have traditionally been conducted on laboratory rodents [6], although there are an increasing number of manipulations on a range of species [7,8]. Despite occasional reports of strong effects [9,10], which have raised concerns in the health sciences [11], it is not yet known how general these effects are across biological systems.

Life-history theory provides a framework for understanding how and when early-life diet should influence lifespan. Individuals face trade-offs when allocating resources among traits that enhance growth and reproduction, versus those, such as somatic repair, that increase longevity [12]. Individuals who experience resource limitation in early life may invest in earlier reproduction, incur higher levels of damage, and pay a cost of reduced lifespan [13]. Alternatively, those individuals with low resources during development may experience slower growth, delayed reproduction and live a longer life [14].

Whether restricted diet in early life *per se*, rather than nutritional limitation across development, extends or reduces lifespan depends on several factors. Reducing total energy content might extend lifespan through increasing allocation towards somatic repair [15]; whereas limiting key nutrients for healthy development, such as protein, might impose damage during development and reduce lifespan [16]. The diet experienced beyond early development is likely important. A switch from low to high nutrition can result in catch-up

growth, which accrues costs later in life [17]. In contrast, being maintained on a low-nutrition diet could enhance lifespan-extending effects if individuals allocate more to repair [9]. There may also be sex differences in how individuals respond to dietary challenges [7,10]. Increased allocation to growth and reproduction may reduce lifespan to a greater extent for the sex experiencing stronger selection for condition-dependent traits or incurring higher energetic costs to reproduction. Continuous developers might have higher plasticity when conditions improve, compared to organisms with metamorphosis, where adult size is established by larval diet.

Here, we conduct a meta-analysis, selecting studies in which diet was manipulated in early development – at any period from early embryonic stages until age of first reproduction – and later longevity was recorded. We used meta-regression [18] to test hypotheses regarding the causes of heterogeneity across studies (Table 1).

## **Methods**

We conducted a comprehensive literature search on Google Scholar and SCOPUS for studies linking early-life diet with longevity, based on keywords (ageing, "compensatory growth", "catch-up growth", damage, development, "developmental programming", "early life", growth, lifespan, longevity, maternal, "maternal diet", oxidative, senescence, stress, survival, telomere), and surveying papers cited by or in several key reviews. We only included studies that conducted a dietary manipulation on pregnant females or offspring before the age of sexual maturity. For studies which provided survival curves, we extracted the log hazards ratio,  $\ln(\text{HR})$ , based on differences in percentage of experimental and control individuals alive at 75%, 50% and 25% of control group survival. However, not all studies report survival curves and we therefore repeated our analysis using mean longevity. Where data were provided separately for groups of individuals, for example by sex, we calculated multiple

effect sizes. In total, our search yielded 50 effect sizes of  $\ln(\text{HR})$  from 18 studies, and 77 effect sizes of mean longevity from 21 studies across 14 species (Table S1).

We used meta-regression to investigate whether the effect of early diet on longevity was mediated by manipulation type, post-treatment diet, sex, stage of manipulation, vertebrate versus invertebrate and whether catch-up growth was observed (Table 1). We conducted Bayesian mixed-effects meta-analysis (BMM) using the library MCMCglmm [19] in the statistical environment R (version 2.15 [20]). We first fit an intercept-only model to examine an overall effect of early diet on longevity. As  $\ln(\text{HR})$  provides a measure of risk of death, a negative effect indicates that diet manipulation extends lifespan. We then fit a model including all moderators and examined their 95% higher posterior densities (HPD, or credible interval). Any moderators whose HPD did not overlap zero were considered statistically significant. We tested for publication bias by inspecting funnel plots and conducting Egger's regression [21]. We calculated marginal and conditional  $R^2$  to establish the total variance explained by fixed effects or both fixed and random terms in each model, respectively [22]. We included study as a random term. Further details are provided in the electronic supplementary material (ESM).

## Results

We found no overall effect of early diet on subsequent risk of death (HPD: -0.150, 0.125, Fig. 1a). The lack of effect may be due to heterogeneity among studies, for example by combining studies where reducing calories increased lifespan and others where reducing specific nutrients reduced lifespan. Heterogeneity in the data was moderate ( $I^2 = 57.7\%$ , Table S2 in ESM). In our meta-regression to examine differences between studies, we found no significant effects of moderators on risk of death (Fig. 1b). The marginal  $R^2$  was only 0.04 (Table S2 in ESM).

We did not find an overall effect of early diet on mean longevity (HPD: -0.200, 0.101, Fig. 1c), and these data had low heterogeneity ( $I^2 = 32.5\%$ , Table S2 in ESM). Several moderators had significant effects (Fig. 1d), although the marginal  $R^2$  was only 0.08 (Table S2 in ESM). Early dietary restriction extended longevity to a greater extent in vertebrates than in invertebrates (HPD: 0.219, 0.944), and when there was no catch-up growth (HPD: 0.039, 0.624). Longevity was reduced when dietary restriction occurred before birth (HPD: -1.343, -0.471), and in studies combining both sexes (HPD: -1.086, -0.152).

To understand contrasting results in models analysing  $\ln(\text{HR})$  and longevity, we repeated our analysis on those studies measuring both. Only the effect of pre- versus post-natal stage on longevity remained significant (HPD: -1.069, -0.024). Publication bias was weak or absent.

## Discussion

The impact of early-life nutrition has recently come to the forefront of concerns regarding healthy ageing [23]. Life history theory provides explanations for why early diet restriction should influence lifespan [13,15]. However, we find that experimental studies generally fail to demonstrate these effects. A plausible explanation for the lack of an overall effect is that positive and negative effects cancel out. Indeed, there are evolutionary rationales for expecting opposite patterns across studies. We found little evidence, however, that these factors explain the overall lack of an effect of early diet on mortality risk and longevity. The general conclusion of narrative reviews, that early nutrition affects later-life mortality [6], thus appears to be driven by a small number of key studies (e.g. [8,9], Fig S2).

While it is tempting to draw conclusions about the evolutionary basis for early diet effects on lifespan, studies testing these effects are almost always conducted under laboratory conditions. In the laboratory, causes of mortality typical of natural conditions are absent, and

individuals experience predictable food, no predation and a different reproductive regime to that in the wild. Thus, evidence for weak or absent effects in laboratory studies may simply be due to the fact that intrinsic damage may not be sufficiently strong to cause increased mortality risk [24].

Nevertheless, our analysis identified predictors of the effect of early-life diet on mean longevity. We found prenatal diet manipulations had stronger negative effects compared to postnatal manipulations. Thus, at least in live-bearing species, mothers do not fully buffer their offspring from nutritional stress. This is also consistent with observations that variation in biomarkers of ageing, such as telomere length, primarily accrue early in life [4]. Early diet extends lifespan in vertebrate but not invertebrate species, potentially because juvenile and adult function are decoupled through metamorphosis. Our results may thus be more easily interpreted in light of mechanistic theory concerning the link between diet, damage reduction and lifespan [25] than broader life history explanations.

Our analyses suggest weak general evidence that reduced nutrients early in life influences lifespan. Whatever effects exist, and we have theoretical reasons to believe that they should, may be specific to the study system. This conclusion is similar to a recent extensive meta-analysis on lifespan-enhancing effects of diet restriction [26]. This study found that protein restriction had stronger life-extending effects than caloric restriction, yet replication in our study was not sufficient to make this comparison. Indeed, animals show plasticity in growth and development across their life, such that single effects of diet restriction may be weak and context-dependent. Insofar as laboratory conditions are informative, the overall evidence as it stands does not provide strong support that food restriction during development causes major effects on adult intrinsic mortality or lifespan.



**Data accessibility:** Data and code are available on GitHub [27]:

<https://github.com/sineadenglish/early-diet-longevity>

**Author contributions:** SE and TU designed the study. SE extracted the data and conducted the analysis. SE and TU wrote the paper. Both authors approve the final version of the manuscript and agree to be held accountable for the content therein.

**Competing interests:** None.

**Funding:** This research was funded by the EU FP7 programme (agreement 259679, IDEAL). SE and TU were supported by the Royal Society of London. TU received support from the Knut and Alice Wallenberg Foundations.

**Acknowledgements:** We are grateful to all authors who contributed data (listed in ESM) and to Shinichi Nakagawa for statistical advice.

## References

1. Ricklefs, R. E. 2010 Embryo growth rates in birds and mammals. *Funct. Ecol.* **24**, 588–596. (doi:10.1111/j.1365-2435.2009.01684.x)
2. Barnes, S. K. & Ozanne, S. E. 2011 Pathways linking the early environment to long-term health and lifespan. *Prog. Biophys. Mol. Biol.* **106**, 323–36. (doi:10.1016/j.pbiomolbio.2010.12.005)
3. Metcalfe, N. & Monaghan, P. 2003 Growth versus lifespan: perspectives from evolutionary ecology. *Exp. Gerontol.* **38**, 935–940. (doi:10.1016/S0531-5565(03)00159-1)
4. Geiger, S., LE Vaillant, M., Lebard, T., Reichert, S., Stier, A., LE Maho, Y. & Criscuolo, F. 2012 Catching-up but telomere loss: half-opening the black box of growth and ageing trade-off in wild king penguin chicks. *Mol. Ecol.* **21**, 1500–1510. (doi:10.1111/j.1365-294X.2011.05331.x)

- 179 5. Nussey, D. H., Kruuk, L. E. B., Morris, A. & Clutton-Brock, T. H. 2007  
180 Environmental conditions in early life influence ageing rates in a wild population of  
181 red deer. *Curr. Biol.* **17**, R1000–1. (doi:10.1016/j.cub.2007.10.005)
- 182 6. Sayer, A. A. & Cooper, C. 2002 Early diet and growth: impact on ageing. *Proc. Nutr.*  
183 *Soc.* **61**, 79–85. (doi:10.1079/PNS2001138)
- 184 7. Houslay, T. M., Hunt, J., Tinsley, M. C. & Bussière, L. F. 2015 Sex differences in the  
185 effects of juvenile and adult diet on age-dependent reproductive effort. *J. Evol. Biol.*  
186 **28**, 1067–1079. (doi:10.1111/jeb.12630)
- 187 8. Saastamoinen, M., Hirai, N. & van Nouhuys, S. 2013 Direct and trans-generational  
188 responses to food deprivation during development in the Glanville fritillary butterfly.  
189 *Oecologia* **171**, 93–104. (doi:10.1007/s00442-012-2412-y)
- 190 9. Ozanne, S. E. & Hales, C. N. 2004 Lifespan: catch-up growth and obesity in male  
191 mice. *Nature* **427**, 411–412.
- 192 10. Boggs, C. L. & Freeman, K. D. 2005 Larval food limitation in butterflies: Effects on  
193 adult resource allocation and fitness. *Oecologia* **144**, 353–361. (doi:10.1007/s00442-  
194 005-0076-6)
- 195 11. Mentis, A.-F. A. & Kararizou, E. 2010 Does ageing originate in utero? *Biogerontology*  
196 **11**, 725–9. (doi:10.1007/s10522-010-9293-4)
- 197 12. Roff, D. A. 2002 *Life history evolution*. Sunderland, MA: Sinauer Associates Inc.
- 198 13. Kirkwood, T. 1977 Evolution of ageing. *Nature* **270**, 301–305.
- 199 14. Kirkwood, T. B. L. 2005 Understanding the odd science of aging. *Cell* **120**, 437–47.  
200 (doi:10.1016/j.cell.2005.01.027)
- 201 15. Kirkwood, T. B. L. & Shanley, D. P. 2005 Food restriction, evolution and ageing.  
202 *Mech. Ageing Dev.* **126**, 1011–6. (doi:10.1016/j.mad.2005.03.021)
- 203 16. Lee, K. P., Simpson, S. J., Clissold, F. J., Brooks, R., Ballard, J. W. O., Taylor, P. W.,

- Soran, N. & Raubenheimer, D. 2008 Lifespan and reproduction in *Drosophila*: New insights from nutritional geometry. *Proc. Natl. Acad. Sci. U. S. A.* **105**, 2498–503. (doi:10.1073/pnas.0710787105)
17. Metcalfe, N. B. & Monaghan, P. 2001 Compensation for a bad start: grow now, pay later? *Trends Ecol. Evol.* **16**, 254–260.
18. Nakagawa, S. & Santos, E. S. A. 2012 Methodological issues and advances in biological meta-analysis. *Evol. Ecol.* **26**, 1253–1274. (doi:10.1007/s10682-012-9555-5)
19. Hadfield, J. D. 2010 MCMC Methods for Multi-Response Generalized Linear Mixed Models: The MCMCglmm R Package. *J. Stat. Softw.* **33**, 1–22.
20. R Development Core Team 2012 R: A Language and Environment for Statistical Computing.
21. Egger, M., Davey Smith, G., Schneider, M. & Minder, C. 1997 Bias in meta-analysis detected by a simple, graphical test. *BMJ* **315**, 629–34. (doi:10.1136/bmj.316.7129.469)
22. Nakagawa, S. & Schielzeth, H. 2013 A general and simple method for obtaining R<sup>2</sup> from generalized linear mixed-effects models. *Methods Ecol. Evol.* **4**, 133–142. (doi:10.1111/j.2041-210x.2012.00261.x)
23. Gluckman, P. D., Hanson, M. A., Cooper, C. & Thornburg, K. L. 2008 Effect of in utero and early-life conditions on adult health and disease. *N. Engl. J. Med.* **359**, 61–73. (doi:10.1056/NEJMr0708473)
24. Speakman, J. R. et al. 2015 Oxidative stress and life histories: Unresolved issues and current needs. *Ecol. Evol.* , 5745–5757. (doi:10.1002/ece3.1790)
25. Gavrilov, L. A. & Gavrilova, N. 2003 Early-life factors modulating lifespan. In *Modulating Aging and Longevity* (ed S. I. S. Rattan), pp. 27–50. Dordrecht: Kluwer Academic Publishers.

26. Nakagawa, S., Lagisz, M., Hector, K. L. & Spencer, H. G. 2012 Comparative and meta-analytic insights into life extension via dietary restriction. *Aging Cell* **11**, 401–9. (doi:10.1111/j.1474-9726.2012.00798.x)
27. English, S. 2016 Code and data from: "Does early-life diet affect longevity? A meta-analysis across experimental studies" (accepted in *Biology Letters*, July 2016). Zenodo. doi:10.5281/zenodo.59865

## Table and figure legends

**Table 1.** Rationale for predictor variables in meta-regression.

**Figure 1.** Funnel plot (a,c) of effect sizes against power, with counter-shaded confidence intervals (90%, 95% and 99% CI); and forest plot (b,d) of HPD intervals (posterior mean and 95% CI) in the meta-analysis on ln(HR) and mean longevity.

245 **Table 1**

Predictor	Rationale
Manipulation type (diet quality or quantity)	If dietary restriction extends lifespan, expect positive effect for reduced quantity but not quality of food. In contrast, if certain nutrients have carry-over effects for individual quality, expect quality effect to be stronger.
Post-treatment diet (control or restricted)	If dietary restriction extends lifespan, expect stronger positive effect if adults are on restricted diet too. If there is a cost of dietary mismatch, expect stronger negative effects when juveniles are on a restricted diet then adults are on a high-food diet.
Sex	If restriction reduces lifespan due to allocation trade-offs between growth and reproduction, predict stronger effect in males due to condition-dependent sexual selection; or in females if they experience high costs of reproduction.
Manipulation stage (pre- or post-natal)	Predict stronger effect of pre-natal diet due to disruption of sensitive stages in development; alternatively predict weaker effect if mothers buffer offspring from nutritional stress.
Vertebrate vs Invertebrate	Expect positive or negative effect sizes to be stronger in invertebrates because of indeterminate growth, hence less plasticity in response to early diet.
Evidence for catch-up growth (yes or no)	Expect weaker effect if individuals compensate for effect of manipulation through catch-up growth. Alternatively, if catch-up growth incurs costs, expect stronger effect under catch-up growth.

246

247

